



GOVERNMENT OF WEST BENGAL
OFFICE OF THE MEDICAL SUPERINTENDENT CUM VICE PRINCIPAL
MALDA MEDICAL COLLEGE & HOSPITAL
PS-English Bazar, Dist- Malda, Pin-732101
Tele_Fax-03512-252480 E mail-msvpmlmch@gmail.com

Memo No: MSVP/e-NIT-04/MLD/MCH-26-27

Dated: Malda, the 05/ 06 /2026

ELECTRONIC TENDER (e-Tender) NOTICE
FOR SUPPLY OF CONTINGENCY ARTICLES, TO THE OFFICE OF THE MSVP, MMC&H, MALDA. 2026-2027

E-Tender is hereby invited by the Medical Superintendent Cum Vice Principal, Malda MC&H, Malda. From bonafide Firms/Agencies for supply of "Contingency Articles", to the office of the undersigned. (As per Section-VII).

Intended bidders are requested to submit their bids through e-Tender Portal (<https://wbtenders.gov.in>) by following the terms & conditions of this NIT and as per the date & time schedule mentioned below-

Sl. No.	Particulars	Date & Time
1	Date of publishing of NIT & OID online.	05.06.2026, 06.00.P.M
2	Online documents download start date.	05.06.2026, 06.00.P.M
3	Online documents download end date.	04.07.2026, 12.00. P.M
4	Pre-Bid Meeting	10.06.2026, 12.00 P.M
4	Online Bid submission start date.	12.06.2026, 10.00. A.M
5	Online Bid submission closing date.	04.07.2026, 12.00. P.M
6	Online Bid opening date for Technical Proposals.	06.07.2026, 4.00.P.M
7	Online uploading the list for technically qualified bidders.	To be notified later
8	Date of online opening of Financial Proposal.	To be notified later

Any subsequent notices/circulars/corrigendum related to this e-tender shall be uploaded at <https://wbtenders.gov.in>, www.wbhealth.gov.in, www.malda.gov.in and websites only. Bidders are requested to check these websites regularly for this purpose.

This e-tender document comprises of the following sections:

Section I : Definition

Section II : Requirements

Section III: EMD

Section IV: General Instructions to Bidders (GIB)

Section V : Draft Performa for Non-Conviction Certificate.

Section VI: Tender Application Form

Section VII : Technical Specifications & Schedule of Requirements

Section VIII: Eligibility Criteria & Terms & Conditions

Section IX : Bidders Checklist & Indexing Criteria

The e-tender shall be evaluated under the two-bid system, i.e., through evaluation of technical and financial bids uploaded by the bidder online on the e-tender website of <https://wbtenders.gov.in>.

Section I : Definition

- "Purchaser" means the e-tender inviting authority, purchasing goods and/ or services as incorporated in this e-tender enquiry document, either directly or on behalf of consignees. For this e-tender the purchaser is the MMC&H, Malda.
- "Bid" means Proposal/ Quotation received from a Firm / Bidder against the e-tender.
- "Bidder" means the Individual or Firm or Agencies submitting Bids/ Quotations.
- "Contractor" means the individual or the firm supplying the goods and/ or services as incorporated in the contract.
- "Goods" means the articles/material required to supply to the purchaser under the contract.
- "Earnest Money Deposit" (EMD) means Bid Security/ monetary amount or financial guarantee to be furnished by a bidder along with its bid.
- "Contract" means the written agreement entered into between the purchaser/ consignee and the contractor, together with all the documents mentioned therein and including all attachments, annexure etc. therein.

- "Specification" means the document/ standard that prescribes the requirement with which goods and/ or service has to conform.
- "Inspection" means activities such as measuring, examining, testing, gauging features of the goods and / or service and comparing the same with the specified requirement to determine conformity.
- "Bill of Quantity (BOQ)" is the name for price schedule (financial bid) in e-tender software.

Section II: Requirements

1. Supply of "Contingency Articles", to the office of the undersigned. (AS per Section VII of this NIT).

Section III : EMD

Sl. No	Particulars	EMD Amount
1	Supply of "Contingency Articles", to the office of the undersigned. (AS per Section VII of this NIT).	30000.00

Registered SSI units participating in Govt. tenders are eligible for exemptions from payment of earnest money and security deposit (EMSD) under Rules 47(A) (1) and 47(B)(7) of WBFR, vol.-I, read with Finance Dept. notification No. 10500-F Dt. 19.11.2004 and its clarification Vide memo. No. 4245-F (Y) dated 20.05.2013. The amount of Earnest Money to be submitted shall be Rs. 30,000/- (Rupees Thirty Thousand only). The process may be followed as per memorandum of the Finance Department Audit Branch vide Memo No-3975-F(Y) dated: 28 th. July, 2016.

Login by bidder:

A bidder desirous of taking part in a tender invited by a State Government Office/PSU/Autonomous Body/Local Body/ PRIs, etc shall login to the e-Procurement portal of the Government of West Bengal <https://wbtenders.gov.in> using his login ID and password.

He will select the tender to bid and initiate payment of pre-defined EMD/ Tender Fees for that tender by selecting from either of the following payments modes :-

i) Net banking (any of the banks listed in the ICICI Bank Payment gateway) in case of payment through ICICI Bank Payment Gateway;

ii) RTGS/NEFT in case of offline payment through bank account in any Bank

Payment procedure:

a) Payment by Net Banking (any enlisted bank) through ICICI Bank Payment Gateway

i.) On selection of net banking as the payment mode, the bidder will be directed to ICICI Bank Payment Gateway webpage (along with a string containing a Unique ID) where he will select the Bank through which he wants to do the transaction.

ii.) Bidder will make the payment after entering his Unique ID and password of the bank to process the transaction.

iii.) Bidder will receive a confirmation message regarding success/failure of the transaction.

iv.) If the transaction is successful, the account paid by the bidder will get credited in the respective Pooling account of the State Government/PSU/Autonomous Body/Local Body/P.R.Is, etc maintained with the Focal Point Branch of ICICI Bank at R.N.Mukherjee Road, Kolkata for collection of EMD/Tender Fees.

v.) If the transaction is failure, the bidder will again try for payment by going back to the first step.

b) Payment through RTGS/NEFT

i.) On selection of RTGS/NEFT as the payment mode, the e-Procurement Portal will show a pre-filled challan having details to process RTGS/NEFT transaction.

ii.) The bidder will print the challan and use the prefilled information to make RTGS/NEFT payment using his bank account.

iii.) Once payment is made, the bidder will come back to the e-procurement portal after expiry of a reasonable time to enable the NEFT/RTGS process to complete, in order to verify the payment made and continue the bidding process.

iv.) If verification is successful, the fund will get credited to the respective Pooling Account of the State Government / PSU/Autonomous Body/Local Body/ PRIs etc. Maintained with the focal point branch of ICICI Bank at R.N.Mukherjee Road, Kolkata for collection of EMD /Tender Fees.

v.) Hereafter, the bidder will go to e-Procurement Portal for submission of the bid.

vi.) But if the payment verification is unsuccessful, the amount will be returned to the bidder's account.

Refund/ Settlement Process.

After opening of the bids and technical evaluation of the same by the tender inviting authority through electronic processing in the e-payment portal of the State Government, the tender inviting committee will declare the status of the bids as successful or unsuccessful which will be made available, along with the details of unsuccessful bidders, to the ICICI Bank by the e procurement portal through web services.


M.S.V.P.
 Malda Medical College & Hospital
 Malda

On receipt of the information from the e procurement portal, the bank will refund, through an automated process, the EMD of the bidders disqualified at the technical evaluation to the respective bidders' bank account from which they made payment transaction. Such refund will take place within T+2 bank working days where T will mean the date on which information on rejection of bid is uploaded to the e procurement portal by the tender inviting authority.

Once the financial bid evaluation is electronically processed in the e-procurement portal, EMD of the technically qualified bidders other than that of L1 and L2 bidders will be refunded, through an automated process, to the respective bidder's bank account from which they made the payment transaction. Such refund will take place within T+2 bank working days where T will mean the date on which information on rejection of bid is uploaded to the e procurement portal by the tender inviting authority. However, L2 bidder should not be rejected till the LOI process is successful.

If the L1 bidder accept the LOI and the same is processed electronically in the e-procurement portal, EMD of the L2 bidder will be refunded through an automated process, to his bank account from which he made the payment transaction. Such refund will take place within T+2 bank working days where T will mean the date on which information on Award of contract (AOC) to the L1 bidder is uploaded to the e-procurement portal the tender inviting authority.

As soon as the L1 bidder is awarded the contract (AOC), and the same is processed electronically in the e-procurement portal –

EMD of the L1 Bidder of the tenders of the State Government Offices will automatically get transferred from the Pooling account to the State Government Deposit Head'8443-00-103-001-07' through GRIPS along with the bank particulars of the L1 bidder.

EMD of the L1 bidder for the tenders of the State,/PSU/Autonomous Bodies/ Local Bodies/ PRIs etc. will automatically get transferred from the pooling account to their respective linked bank accounts along with the bank particulars of the L1 bidder.

In both the above cases, such Transfer will take place within T+1 bank working days where T will mean the date on which the award of contract (AOC) is issued.

The bank will share the details of GRN No. generated on successful entry in GRIPS with the e-procurement portal for updating.

Once the EMD of L bidder is transferred in the manner mentioned above, Tender fees, if any, deposited by the bidders will be transferred electronically from the pooling account of the Government Revenue Receipt Head "0070-60-800-013-27" through GRIPS for Government Tenders and to the respective linked bank accounts for State/ PSU/Autonomous Body/Local Body/ PRIs etc. Tenders.

All refunds will be made mandatorily to the bank account from which the payment of EMD and tender fees (if any) were initiated.

Performance Security

Within 15 (fifteen) days from the date of issue of notification of award by the purchaser, the contractor shall furnish performance security to the health facility for an amount equal to 3% of tendered value. The performance security shall be retained up to 6 (six) months after the date of completion of all contractual obligations by the contractor.

The performance security shall be deposited in Indian Rupees to the state government through TR Challan under budgetary head of account 8443-00-103-Earnest Money-01-07-Deposits. No other forms of deposit can/will be entertained by authority.

In the event of any failure/default of the contractor with or without any quantifiable loss to the health facility/ purchaser/ government, the amount of the performance security is liable to be forfeited by the health facility/ purchaser/ Administrative Department.

In the event of any amendment issued to the contract, the contractor shall, within 21 (twenty one) days of issue of the amendment, furnish the corresponding amendment to the performance security (as necessary), rendering the same valid in all respects in terms of the contract, as amended.

In reference to above, the health facility will release the performance security without any interest to the contractor on completion of the contractor's all contractual obligations.

Earnest money will be returned to the unsuccessful bidders without any interest after conclusion of the resultant contract. The earnest money of successful bidder shall be returned without any interest after completion of entire job assigned to the selected bidder on furnishing the completion certificate from the concerned authority.

M/05/06/26

M.S.V.P.
Malda Medical College & Hospital
Malda

Section IV : General Instruction to the bidders
Technical Proposal

Statutory Cover shall contain the following documents:

1. Application to participate in e-tender as per Section VI: Tender Application Form
2. Technical Documents
3. Scanned copy of EMD.

Non Statutory Cover will contain the following documents-

Sl. No.	Category Name	Detail(s)
1	Certificate(s) With current validity	PAN, IT return, Professional Tax Registration Certificate/ and Challan deposited for the Financial Year 2026-27. GST Registration Certificate
2	Company Detail(s)	Certificate of Incorporation/ Partnership Deed (*WA). Updated Trade License/Enlistment.(2026-2027). Power of Attorney in favour of signatory of bid.(*WA)
3	Credential	1. Successful supply certificates & Work Orders from any Govt. Organization.
4	Declaration	Audited Balance Sheet, Trading and Profit & Loss A/c of (Last 3 Financial year). Non-Conviction Certificate as per Section V. (Duly Notarized after the date of publication of this NIT). Application in the letter head of the firm/company.
5	Others	1. As mentioned in Section VII

(*WA-Where Applicable)

Financial Proposal (Single File)

The price schedule in form of BOQ (excel file) will be found under the published NIT schedule in the website (<https://wbtenders.gov.in>) and the least/offer price must be quoted against each item(s).

Opening of Tender

The purchaser will open the bids on the specified date and time as indicated in the NIT. The Bidder/Authorized representative of the bidder may attend on the date of opening of bid as well as the pre-bid meeting as per schedule. The EMD for the said tender shall be verified first. The statutory papers will be examined and evaluated before evaluation of non-statutory documents. After this, the online price bids or financial bid of only the technically qualified bidders shall be opened for further evaluation.

Opening of Technical Proposals:

Technical proposals will be opened by members of the Tender Evaluation Committee electronically from the e-tender website using their Digital Signature Certificates (DSCs).

In the Technical Proposal, the Cover (folder) for Statutory Documents will be opened first and if found in order, the cover (folder) for Non-Statutory Documents will be opened. IF ANY DOCUMENT REQUIRED TO BE SUBMITTED FOR e-TENDER BY THE BIDDER IN HIS/HER TECHNICAL/FINANCIAL PROPOSAL, BUT NOT SUBMITTED OR IS FOUND TO BE DEFICIENT IN ANY MANNER AT ANY STAGE AFTER OPENING OF BID, THE BID MAY BE SUMMARILY REJECTED.

During evaluation, the Committee will examine the original documents as they are uploaded as e-tender documents as per Section-IV clause 1 & 2. The date & time of such examination of documents will be notified later. If the said documents in original are not produced within the specified date & time, the bid proposals will be liable for rejection.

The e-Tender Selection Committee reserves the right to reject any application/bid without assigning any reason. Section V: Draft Performa for Non-Conviction (In a form of affidavit in Rs.10 Non-judicial Stamp Paper)

The bidder shall provide an undertaking that the proprietor/ promoter/ director of the firm, its employee, partner or representative are not convicted by a court of law for offence involving moral turpitude in relation to business dealings such as bribery, corruption, fraud, substitution of bids, interpolation, misrepresentation, evasion, or habitual default in payment of taxes etc. The firm does not employ a government servant, who has been dismissed or removed on account of corruption. The firm has not been de-barred, blacklisted by any government ministry/ department/ local government/ PSU etc. in the last two years from scheduled date of opening of this e-tender.

H/25/2026/26

M.S.V.P.

Malda Medical College & Hospital
Malda

Section VI: Tender Application Form

(To be given in Official letter head with proper seal & signature)

To,
The Medical Superintendent Cum Vice Principal
Malda MC&H.
Malda.

Ref: Your e-tender document No.

.....

I/We, the undersigned have examined the entire e-tender document, including amendment/corrigendum number, dated.....(if any) eligibility criteria, required documentations, terms & conditions etc. The receipt of which is hereby confirmed.

I/We now offer to supply and deliver the goods and/ or services in conformity with your above referred document for the sum, as shown in the price schedule/Bill of Quantity attached herewith and made part of this bid.

I/We hereby declare that all data and documents submitted by us in our bid in this e-tender are genuine and true, to the best of our knowledge and belief.

If my/our bid is accepted, we undertake to supply the goods or service as per the specification, in accordance with the delivery schedule and terms and conditions, including amendment/ corrigendum if any.

I/We further understand that you are not bound to accept the lowest or any bid you may receive against your above-referred tender enquiry.

I/We confirm that we do not stand deregistered/banned/blacklisted by any Government Authorities/ Organization/ Institution/ local bodies and never convicted by any Court of law for any offence.

Brief of court/legal cases pending, if any, are following:

We would authorize and request any Bank, person, Firm or Corporation to furnish pertinent information as deemed necessary and/or as requested by you to verify this statement.

I/We understand that the e-Tender Selection Committee reserves the right to reject any application/bid without assigning any reason.

(Signature with date)

(Name, designation, seal of authorized person to sign bid for and on behalf of Bidder)

M.S.V.P.
M.S.V.P.
Malda Medical College & Hospital
Malda

SECTION VII: TECHNICAL SPECIFICATIONS & SCHEDULE OF REQUIREMENTS

Technical Specifications for Contingency Items

The bidder must supply items that strictly meet or exceed the technical benchmarks outlined below. Vague definitions of quality will not be accepted; all items must comply with the exact structural, material, and brand standards specified.

SL NO	NAME OF CONTINGENCY ITEMS	SPECIFICATION BENCHMARKS	QUANTITY REQUIRED
1	A4 PAPER WHITE	75 GSM minimum, high brightness (95%+), 500 sheets per ream. Guaranteed jam-free execution on high-speed laser/inkjet copiers. (Acceptable Brands: JK Paper / Copy Power / Century/ Trident Spectra Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement)).	5000 Ream (Approx)
2	ABG THERMAL PAPER ROLL	Size: 55mm Width x 15 Meters Length. Premium high-density thermal coating formulation to prevent print fading under medical storage conditions, minimum 55 GSM base, clean-cut edges with zero lint release.	4000 Roll (Approx)
3	AMPOULE CUTTER	Heavy-duty Medical/Marine Grade Stainless Steel (SS 304 construction), corrosion-resistant chemical finish, high-bevel precision cutting edge, fully autoclavable.	200 Pc (Approx)
4	ARCH FILE	Extra-thick, rigid, non-bending heavy-duty industrial hardboard pasted securely with 0.15mm thick waterproof PVC laminate. Heavy-duty, rust-proof chrome-plated steel lever-arch mechanism with locking compressor bar. Capacity: 500 sheets of A4 paper.	20 Pc (Approx)
5	BABY DIAPER - XL	Size: XL (12 KG to 16 KG). Premium disposable pant-style construction. Must feature an ultra-absorbent multi-layer core, wetness indicator strip, breathable cotton-soft hypoallergenic materials, and reinforced stretchable leak-guard cuffs.	10000 Pc (Approx)
6	BALL PEN	Smudge-free, smooth-flow 0.7mm nickel-silver tungsten carbide (NSTC) tip. Leak-proof ink reservoir with secure click cap. Colors: Blue, Black, Red. (Acceptable Brands: Cello / Flair / Doms / Reynolds / Pentonic Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement)).	20000 Pc (Approx)
7	BAG FOR ECG MACHINE	Dimensions 20 x 14 x 06 Inch (LxBxH). Heavy-duty 1680D waterproof Ballistic Nylon canvas fabric shell. High-density shockproof EPE foam padding (minimum 10mm wall thickness) throughout, industrial-grade dual zippers, reinforced cross-stitched handles, and adjustable shoulder strap with comfort pad.	10 Pc (Approx)
8	BATTERY CR2032	3V Lithium Coin Cell, Non-Rechargeable. Leak-proof casing design, minimum 5-year operational shelf life. Certified CE and RoHS compliant for medical devices. (Preferred Brands: Panasonic / Maxell / Duracell Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement)).	1000 Pc (Approx)
9	BATTERY cell - SIZE D	Heavy-Duty / Alkaline cell, size D. Advanced anti-leakage wall casing warranty required. (Acceptable Brands: Nippo / Eveready / Duracell / Panasonic / Envie Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement)).	100 Pc (Approx)
10	BATTERY cell - SIZE C	Heavy-Duty / Alkaline cell, size C. Advanced anti-leakage wall casing warranty required. (Acceptable Brands: Nippo / Eveready / Duracell / Panasonic / Envie Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement)).	300 Pc (Approx)

	BATTERY cell - SIZE AAA	High-drain Alkaline cell, size AAA, 1.5V. Must include a strict leak-proof manufacturing warranty. (Acceptable Brands: Nippo / Eveready / Duracell / Panasonic / Envie Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	10000 Pc (Approx)
12	BATTERY cell - SIZE AA	High-drain Alkaline cell, size AA, 1.5V. Must include a strict leak-proof manufacturing warranty. (Acceptable Brands: Nippo / Eveready / Duracell / Panasonic / Envie/ Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	8000 Pc (Approx)
13	BLACK PRINTER INK	100% Genuine OEM Factory-Sealed Epson 005 Black, DURA Brite ET pigment ink bottle (120ml). Supply must feature unique holographic verification codes and scratch-to-verify security markers.	500 Bottle (Approx)
14	BLACK PRINTER INK	100% Genuine OEM Factory-Sealed Epson 003 Black ink bottle (120ml/65ml equivalent standard OEM pack). Supply must feature unique holographic verification codes.	20 Bottle (Approx)
15	BLACK PRINTER INK	100% Genuine OEM Factory-Sealed Epson 774 Black ink bottle (140ml). Supply must feature unique holographic verification codes.	50 Pc (Approx)
16	BLACK LASERJET CARTRIDGE	Cartridge Model: 88A. High-Yield Premium ISO 9001/14001 Certified cartridge with brand-new optical photoconductor (OPC) drum and smart chip integration ensuring solid black text without fading or lines. (Brands: HP original or certified high-grade equivalent).	500 Pc (Approx)
17	BLACK LASERJET CARTRIDGE	Cartridge Model: 12A. Premium ISO 9001/14001 Certified cartridge featuring high-density magnetic rollers and premium micro-fine toner powder for deep monochrome graphics output.	500 Pc (Approx)
18	BLACK LASERJET CARTRIDGE	Cartridge Model: 925. Premium ISO-certified compatible cartridge with dark, crisp monochrome graphics output and durable doctor blade assembly.	500 Pc (Approx)
19	BLACK LASERJET CARTRIDGE	Cartridge Model: 230A. Genuine OEM Only (HP original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement). Must include functional smart counting chip compatible with network printers.	20 Pc (Approx)
20	BLACK LASERJET CARTRIDGE	Cartridge Model: 166A. Genuine OEM Only (HP original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement). Factory sealed with valid regional warranty matrices intact.	50 Pc (Approx)
21	BLACK LASERJET CARTRIDGE	Cartridge Model: CF256A. Genuine OEM Only (HP original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement). Enterprise-grade high-yield monochrome toner assembly.	10 Pc (Approx)
22	BLACK LASERJET CARTRIDGE	Cartridge Model: 110A. Genuine OEM Only (HP original). Factory-sealed retail units containing active processing microchips.	10 Pc (Approx)
23	BLACK LASERJET CARTRIDGE	Cartridge Model: NPG84. Genuine OEM Only (Canon original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).intended for heavy-duty institutional digital photostat copiers.	20 Pc (Approx)
24	BLACK LASERJET CARTRIDGE	Cartridge Model: NPG51. Genuine OEM Only (Canon original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP	20 Pc (Approx)

M.S.V.P.

Makda Medical College & Hosprta

		prior to procurement).intended for heavy-duty institutional digital photostat copiers.	
25	BLACK INK CARTRIDGE	Model: Canon Pixma PG-745 S. Genuine OEM Only (Canon original) factory-sealed retail thermal ink assembly.	20 Pc (Approx)
26	BLACK INK CARTRIDGE	Model: Canon Pixma PG-47. Genuine OEM Only (Canon original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).factory-sealed retail thermal ink assembly.	50 Pc (Approx)
27	BLACK RIBBON CARTRIDGE	Model: LQ310. 100% Original Epson Ribbon Assembly Only. High-density fabric lubrication matrix with a guaranteed yield of minimum 2.5 million characters.	400 Pc (Approx)
28	CARTRIDGE REFILLING	Precision refilling services utilizing premium micro-fine chemical polyester matrix black powder. Refilled units must achieve an optical density >1.40, zero background smudging, and include replacement of wiper/doctor blades if worn. Applicable to cartridge models: 88A, 12A, 925, 166A, 230A, 110A.	200 PC (Approx)
29	BINDING NOTE BOOK	Notebook Model No. 8. Hardbound deluxe spine binding, 150 sheets per book, minimum 75 GSM high-purity white ledger paper (recycled grey paper pulp rejected), clean azure/grey ledger ruling.	1000 Pc (Approx)
30	BINDING DISTA KHATA	Size: 20cm x 28cm. Extra-rigid cloth-bound spine with heavy-duty stapling, unruled premium white paper stock, minimum 65 GSM, 92 to 95 pages per copy.	1000 Dista (Approx)
31	BINDING REGISTER RULED	Register Model No. 12. Hardboard bound with heavy-duty rexine spine corners. 180 sheets, minimum 80 GSM white ledger paper, crisp blue horizontal lines. Clear machine-printed sequential page serialization is mandatory. Size: 13 Inch x 09 Inch.	500 Pc (Approx)
32	BINDING REGISTER RULED	Register Model No. 20. Hardboard bound with heavy-duty rexine spine corners. 320 sheets, minimum 80 GSM white ledger paper. Clear machine-printed sequential page serialization is mandatory. Size: 13 Inch x 09 Inch.	200 Pc (Approx)
33	BINDING REGISTER RULED	Register Model No. 30. Heavy-duty reinforced double hardboard binding with rexine overlay. 500 sheets, minimum 80 GSM white ledger paper. Clear machine-printed sequential page serialization is mandatory. Size: 13 Inch x 09 Inch.	300 Pc (Approx)
34	CARBON PAPER	Premium wax-based deep-ink coating matrix, double-sided smear-free duplication properties, typewriter and handwriting grade. Pack configuration: 100 sheets/pkt.	200 Pkt (Approx)
35	CALCULATOR	12-digit extra-large liquid crystal display (LCD), dual power design (Solar panel + Long-life battery), robust plastic keys with distinct tactile spring feedback, durable aluminum faceplate protection shell. (Preferred Brands: Casio / Citizen Original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	100 Pc (Approx)
36	CELLO TAPE BROWN	Width: 2 inch. Minimum 45-micron total film thickness (composed of high-tensile BOPP film coated with an aggressive pressure-sensitive acrylic adhesive layer). Guaranteed roll length of 50 meters; zero snapping allowed during high-tension dispensing.	100 Pc (Approx)
37	CELLO TAPE TRANSPARENT	Width: 2 inch. Minimum 45-micron total film thickness, crystal-clear optical transparency, high-tack adhesion rating. Guaranteed roll length of 50 meters.	500 Pc(Approx)
38	CLIP BOARD	Size: A4. Heavy-duty, high-density unbreakable engineered wood composite or 4mm thick virgin clear acrylic board. Fitted with an industrial-grade rust-proof stainless steel spring-loaded tension clip.	100 Pc(Approx)

	COTTON THREAD BALL	100% natural long-staple cotton fibers, multi-ply twisted formulation, uniform thickness of 2mm, weight 20 grams per ball, high tensile breaking strength.	2000 Pc (Approx)
40	COTTON FILE TAGS	Heavy-duty multi-strand braided cotton cord, 8 inches length, fitted with solid brass/steel end pins securely crimped on both ends. Configuration: 100 tags per bunch.	500Bunch (Approx)
41	COMPUTER KEYBOARD	Standard USB wired desktop keyboard, robust membrane keys with an integrated spill-resistant layout channel. Minimum 10-million keystroke durability profile. (Preferred Brands: Dell / HP / Logitech / Lenovo / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	50 Pc (Approx)
42	COMPUTER MOUSE	Optical USB wired desktop mouse, true 1000 DPI high-resolution tracking sensor, robust tracking wheel, ergonomic ambidextrous build. (Preferred Brands: Dell / HP / Logitech / Lenovo / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	100 Pc (Approx)
43	UPS (600VA/300W)	Line-Interactive Uninterrupted Power Supply topology with Automatic Voltage Regulation (AVR). Fire-retardant exterior chassis, Sealed Maintenance-Free (SMF) Lead-Acid battery core, clear front panel LED metrics, audible alarm arrays, and built-in battery overload protection circuit. (Preferred Brands: APC by Schneider / Microtek / V-Guard / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	30 Pc (Approx)
44	COCONUT OIL	100% pure edible-grade cold-pressed/refined coconut oil, zero chemical scents or color additives. Sealed 100ml leak-proof plastic bottles. (Preferred Brands: Parachute / Shalimar / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	200 Bottle (Approx)
45	COCONUT BROOM STICK	Premium grade, selected long heavy-weight natural stiff coconut rib/grass elements, bound tightly at the base with high-tensile multi-layered nylon cord wraps. Minimum weight: 450 grams per unit.	200 Pc (Approx)
46	COVER FILE FOUR FOLD WITH LACE	Extra-thick premium caliber 400+ GSM stiff duplex paperboard template. Fitted with heavy woven cloth laces threaded through metal-reinforced eyelets. Front cover screen-printed strictly as per institutional text: "Malda Medical College & Hospital, Malda".	1000 Pc (Approx)
47	PLASTIC FOLDER FILE WITH BUTTON	Size: 12 x 14 Inch. Rigid, high-clarity virgin Polypropylene (PP) film sheet, minimum 180 microns wall thickness. Fitted with a heavy-duty crack-resistant matching color plastic snap-button fastener.	2000 Pc (Approx)
48	INTRAORAL X-RAY FILM	Dental X-Ray Film: E-speed high contrast, extra-fine grain structure for high-resolution diagnostics. Enclosed inside medical-grade ultra-soft vinyl/plastic packets with comfort-curve rounded corners. Configuration: 150 pieces per packet.	200 PKT (Approx)
49	DETERGENT POWDER	Institutional laundering grade premium powder formulation packed with active dirt enzymes and optical whitening compounds. Packing size: 500gm per pack. (Preferred Brands: Surf Excel / Ariel / Tide / Rin / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	6000 Pkt (Approx)
50	STERILE COTTON SWAB STICKS	Medical-grade, 100% pure absorbent surgical cotton tip securely bound to a shatter-proof plastic shaft. Individually sealed within transparent medical plastic transport tubes to maintain sterility.	10000 Pc (Approx)

	DIGITAL REFRIGERATOR THERMOMETER	IP65 Waterproof rated outer LCD console display module, wide scale measuring parameters (-50°C to 70°C), internal/external detachable wire sensor probes, heavy-duty magnetic backing, includes NABL traceable calibration certificate.	20 Pc (Approx)
52	ELECTRIC KETTLE 1.5L	Food-grade Stainless Steel inner lining (SS 304) with zero exposed internal plastics. Concealed heating element base, 360-degree rotatable docking station, power light indicator, and mandatory triple-safety automatic cutoff switch against dry boiling. (Preferred Brands: Philips / Prestige / Havells / Milton / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	40 Pc (Approx)
53	ERASERS	Non-toxic, phthalate-free, dust-free synthetic polymer formulation. Must erase pencil markings cleanly without tearing or smudging paper stock.	100 Pc (Approx)
54	EXTENSION BOARD (16 AMP Heavy Duty)	Fire-retardant heavy Polycarbonate body housing module, integrated pure brass internal bus strip connections, 1.5mm sq thick 3-core copper cable insulation, length: 2 meters, fitted with three 16A sockets controlled by an independent master safety switch with an LED indicator.	50 Pc (Approx)
55	EXTENSION BOARD (6 AMP)	Fire-retardant Polycarbonate mold housing, rated for 250V and 6 Amp current limits. Features 4 universal socket outlets protected by integrated safety shutters, a single master control switch, and a 2-meter fully insulated multi-strand copper cord.	20 Pc (Approx)
56	FLOOR CLEANING MOP WITH STICK	Industrial cleaning grade, looped-end cotton absorbent yarn mop head (minimum 400g weight matrix). Attached via a heavy-duty screw-lock plastic clamp module to a rigid 5ft structural iron/aluminum anti-rust painted pipe stick.	300 Pc (Approx)
57	GLUE STICK	Washable, PVP-based fast-bonding clear adhesive formulation. Non-toxic, acid-free, contained within an airtight twist-up tube mechanism. Weight: 15gm per stick.	400 Pc (Approx)
58	GUMBOOTS FOR MEN	High-grade industrial molded PVC/Nitrile polymer compound, ankle-reinforced protection, puncture-resistant non-slip treaded sole plate, specialized chemical and fluid resistance to blood, oils, and hospital disinfectants. Certified CE/ISI. Sizes assorted: 6, 7, and 8.	50 Pairs (Approx)
59	HIGHLIGHTER PEN	Chisel tip profile executing 2mm to 5mm width highlight tracks. Utilizes bright fluorescent anti-smudge water-based pigment ink with an extended cap-off survival timeline.	300 Pc (Approx)
60	IRON METAL CHAIN	Heavy-duty carbon structural steel links with continuous welded seams (non-stamped links). Link thickness diameter: 6mm. Fully hot-dip galvanized for total anti-rust atmospheric protection. Length: 4ft.	100 Pc (Approx)
61	JEMS CLIP STAINLESS STEEL	Manufactured from high-tensile spring steel wire core with smooth polished nickel/chrome plating to prevent oxidation and paper damage. Size: 26mm. Configuration: 100 clips per box.	1000 Box (Approx)
62	JALA BRUSH WITH EXTENDABLE ROD	Premium high-density web brush sweeping head mounted securely onto a telescopic aluminum/stainless-steel interlocking extendable handle rod module (extendable reach parameter up to 10-12 feet minimum).	20 Pc (Approx)
63	LOCK & KEY (65mm)	Solid extruded brass body padlock or hardened steel armored lock plate, minimum 7-lever pick-resistant heavy tumbler security core mechanism, supplied with 3 matching original factory-cut brass keys.	400 Pc (Approx)
64	LOCK & KEY (50mm)	Solid brass body padlock chassis, 5-lever security arrangement, pick-proof core architecture, supplied with 3 original keys.	400 Pc (Approx)
65	LARYNGOSCOPE	Frosted/clear replacement optical bulbs calibrated precisely	300 Pc (Approx)

Mos/156/26

M.S.V.P.

Malda Medical College & Hospital

	BULB	for uniform illumination arrays without flickering.	
66	LIQUID BLUE FABRIC WHITENER	Ultra-concentrated suspension fluid compound engineered specifically for institutional hospital linen processing. Bottle size: 250ml. (Acceptable Brands: Ujala / Robin / Rin / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	300 Bottle (Approx)
67	MARKER PEN (FINE TIP)	Tough acrylic fiber fine point tip, lightfast water-resistant intense ink filling. Minimum 400 meters linear writing path profile. Colors: Black/Blue.	2000 Pc (Approx)
68	MARKER PEN (PERMANENT)	Heavy-duty fiber bullet tip, industrial alcohol-based waterproof permanent ink compound. Quick dry architecture adhering to glass, medical plastic bags, and steel surfaces.	300 Pc (Approx)
69	MEDICATED HAND WASH POUCH	Specialized antiseptic skin formula containing active IPMP/Chlorhexidine Gluconate properties enriched with emollient moisturizers. Packaging: Standard retail pouch 185ml to 190ml sizes. (Preferred Brands: Dettol / Savlon / Lifebuoy / Himalaya / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	20000 Pouch (Approx)
70	MEDICATED SOAP BAR	Total Fatty Matter (TFM minimum 76% required - Grade 1 Soap classification). Antibacterial, non-drying formula, skin-friendly medical grade packaging. Weight: 25gm per bar.	5000 Pc (Approx)
71	MOSQUITO & INSECT SPRAY	High-knockdown aerosol execution spray canister containing dynamic synthetic pyrethroid active agents. Canister size: 200ml. Mandate: Manufacturing date must fall within 3 months prior to institutional receipt.	200 Bottle (Approx)
72	MOSQUITO VAPORIZER REFILL	Liquid vaporizing solution bottle featuring standard ceramic capillary wick infrastructure. (Preferred Brands: Good Knight Gold Flash / All Out Ultra / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	400 Pc (Approx)
73	MOSQUITO VAPORIZER MACHINE	Dual-mode advanced electronic heating device (Normal/Boost slider toggle matrix), flame-retardant resin housing, standard Indian 2-pin connector prongs.	50 Pc (Approx)
74	PAPER WEIGHT	Premium optical-grade cast solid virgin acrylic block, diamond-polished scratch-resistant face profiles. Weight: Uniform heavy desk block. Dimensions: 6 x 6 x 3 cm.	100 Pc (Approx)
75	BLANK STICKER LABELS	Pressure-sensitive self-adhesive matte white paper sheet labels with premium acrylic adhesive backings to ensure labels do not curl or peel off over time. Size: 20 x 12 mm, layout format: 100 labels/sheet.	500 Sheet (Approx)
76	PVC WATERPROOF CURTAINS	Premium industrial heavy-grade virgin PVC (minimum 0.30mm wall thickness profile), mildew-resistant, wipe-clean face, fitted with high-frequency-welded metal/reinforced plastic grommet rings along the top rod pocket hem. Size: 7ft Length x 4.5ft Width.	100 Pc (Approx)
77	PLASTIC DISCS (LABOUR ROOM)	High-density impact-resistant nylon/ABS engineering plastic coin tokens, dual pre-drilled holes, 15mm diameter. Bright permanent color-coded polymer execution (Red and Yellow pairs). Clear deep-etched alphanumeric serialization: LR 1001 to LR 3000.	2000 Pc (Approx)
78	PLASTIC HAND BELCHA	Industrial-grade heavy plastic dustpan featuring thick wall molding and an integrated flexible soft rubber lip edge on the capturing mouth to trap micro-dust particles.	100 Pc (Approx)
79	PLASTIC DISCS (SNCU)	High-density impact-resistant nylon/ABS engineering plastic coin tokens, dual pre-drilled holes, 15mm diameter. Permanent Blue color code. Clear deep-etched	2000 Pc (Approx)

M.S.V.P.

Maldia Medical College & Hospital

		alphanumeric serialization on one side: SNCU 1001 to SNCU 3000.	
80	PLASTIC BOWL (20L)	Heavy-duty virgin HDPE/PP plastic material, thick structural non-flexing side-walls, molded reinforced integrated side-lifting handle tabs. Capacity: 20 Liters.	200 Pc (Approx)
81	PLASTIC BUCKET (20L)	Heavy-duty virgin HDPE plastic body, molded internal graduation metrics lines, fitted with a thick stainless-steel heavy wire swing handle (flimsy plastic handles explicitly rejected). Capacity: 20 Liters.	200 Pc (Approx)
82	PLASTIC BATH MUG (1L)	Virgin high-impact polypropylene plastic construction, thick comfort-grip handle profile with double-reinforced bracing points. Capacity: 1 Liter.	100 Pc (Approx)
83	FOOT-OPERATED DUSTBIN (45L)	Bio-medical waste color sorting grade, industrial virgin HDPE plastic molding. Must incorporate a heavy-duty internal steel linkage rod structure for the foot-pedal array (plastic rods rejected). ISI Mark Mandatory. Color Sortation: Red, Yellow, Black (50 units each).	150 Pc (Approx)
84	FOOT-OPERATED DUSTBIN (15L)	Ward clinical grade, virgin HDPE plastic molding, smooth mechanical action internal foot pedal linkages. ISI Mark Mandatory. Color Sortation: Red, Yellow, Black (25 units each).	75 Pc (Approx)
85	PLASTIC BIN WITH LID (60L)	Heavy-duty bulk storage plastic waste drums with dual-sided airtight mechanical snap-latch lid flaps and reinforced load-bearing base rings. ISI Mark Mandatory. Color Sortation: Red, Yellow, Black (20 units each).	100 Pc (Approx)
86	PEDESTAL FAN	Commercial ventilation grade, heavy-duty dynamically balanced 3-blade metal array with protective close-mesh steel finger wire cages. Driven by a high-torque 100% copper-wound motor (1400 RPM output, 50W parameter rating) with integrated thermal overload fuses. (Preferred Brands: Havells / Atomberg / Crompton / Bajaj / Usha / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	50 Pc (Approx)
87	WOODEN PENCILS	Standard drawing pencils made from premium seasoned soft cedarwood shells, containing break-resistant bonded graphite cores (HB grade / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement). Sharpening action must be smooth without wood fracturing.	100 Pc (Approx)
88	PENCIL SHARPENER	Sharpener module fitted with a high-carbon alloy steel blade screwed securely to a robust molded non-slip plastic shell casing.	100 Pc (Approx)
89	BIO-MEDICAL SHARP CONTAINER	Puncture-proof, leak-proof heavy polypropylene walls (minimum 2.0mm thickness profile), translucent white with a tamper-evident permanently locking secure Blue lid. Body must feature bold, chemically-etched international Biohazard warning signs. Capacity: 12 Liters.	400 Pc (Approx)
90	PHOOL JHADU	Deluxe top-grade heavy hill grass broom assemblies, extra-dense fiber composition weighing a minimum of 500g per unit, secured within a long extended plastic protective shield tube handle jacket.	200 Pc (Approx)
91	MAGNETIC PIN CONTAINER	Desk accessory storage pod manufactured from impact-resistant polystyrene, featuring an integrated heavy-duty permanent ring magnet system around the open collection rim.	100 Pc (Approx)
92	PETRI DISH WITH VENTED LID	Sterile single-use, crystal-clear optical grade shatter-proof virgin polystyrene construction, dimensionally stable, round format (90mm Diameter x 15mm Height), featuring 3 integrated venting ribs along the matching lid for optimized gas exchange.	10000 Pc (Approx)

	RAT GLUE PAD TRAP	Extra-thick rigid card plates heavily coated with a weather-stabilized, non-drying, high-viscosity industrial adhesive formulation capable of trapping rodents under varied hospital humidity scales. Size: 22 x 33 cm.	300 Pc (Approx)
94	ROOM FRESHENER	Institutional grade long-lasting air aerosol fragrance dispenser canister (200ml). Mandate: Manufacturing data metrics must fall within 3 months prior to supply.	600 Pc (Approx)
95	SPOT BAND-AID (ROUND)	Sterile clinical application round circular spots (25mm diameter). Utilizes a highly breathable, skin-friendly medical adhesive substrate tape bonded to a non-adherent central localized absorbent pad block.	10000 Pc (Approx)
96	RUBBER TOURNIQUET BAND	Medical venipuncture grade, highly elastic natural rubber or premium synthetic silicone flat-band tubing compound, tear-resistant under maximum stretch extension. Length: 40 inches.	200 Pc (Approx)
97	OFFICE SCISSORS (5 Inch)	Hardened surgical/office stainless steel blade flanks, high-strength ergonomic injection-molded ABS plastic handle loops, featuring an adjustable central tension pivot screw pin. Size: 5 inch.	100 Pc (Approx)
98	HEAVY-DUTY SCISSORS (10 Inch)	Industrial laundry/theatre grade forged high-carbon stainless steel construction from tip to loop handles, precision hollow-ground blade margins designed for smooth cross-cutting of multi-layered heavy gauze/fabrics. Size: 10 inch.	50 Pc (Approx)
99	SCRUB SPONGE FOR UTENSILS	Dual-action kitchen utility scrub pads consisting of a high-density porous polyurethane foam block permanently bonded to a thick, abrasive coarse nylon web scour layer designed to resist structural delamination.	500 Pc (Approx)
100	SOFT TISSUE ROLLS	Manufactured from 100% virgin wood pulp fibers, deluxe 3-ply thickness architecture, ultra-absorbent matrix pattern, chemical and bleach-free, hypoallergenic, minimum 160 sheet pulls per roll.	2000 Roll (Approx)
101	PAPER T-PINS	Heavy-duty rust-proof solid steel wire cores finished with a highly polished uniform nickel coating, straight shafts, razor-sharp needle points. Size: 26mm, 500 pins per box.	5000 Box (Approx)
102	SS BOWL WITH LID (10L)	Heavy-gauge medical-grade Stainless Steel (SS 304 construction), seamlessly deep-drawn without internal weld joints, high mirror polish finish, supplied with a tight-fitting matching steel cover lid featuring an insulated handle grip. Dimensions: 50cm Diameter x 15cm Height. Capacity: 10 Liters.	50 Pc (Approx)
103	SS BOWL WITH LID (1L)	Heavy-gauge medical-grade Stainless Steel (SS 304 construction), seamless deep-drawn format. Dimensions: 12cm Diameter x 07cm Height. Capacity: 1 Liter.	100 Pc (Approx)
104	STAINLESS STEEL RULER	Heavy-gauge hardened flexible stainless steel measuring scale rule, deep precision photo-etched permanent dual metric/imperial markings starting accurately at the true edge baseline point. Length: 30cm / 12 inch.	200 Pc (Approx)
105	STAMP PAD	Heavy metal or rigid impact-resistant plastic structural box housing a fine-weave high-density wool felt pad core pre-inked uniformly with quick-drying, non-fading archival blue ink. Size: 15cm x 10cm.	200 Pc (Approx)
106	STAMP PAD INK BOTTLE	Water-resistant, smear-proof permanent rubber-stamp formulation pigment ink bottle with an integrated narrow non-clogging drop applicator nozzle. Bottle volume: 100ml. (Preferred Brands: Camlin / Trodat / Shiny / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	500 Bottle (Approx)
107	STAPLER NO. 10	All-metal structural loading guide tracks wrapped in a durable impact plastic top casing, featuring an integrated	100 Pc (Approx)

M.S.V.P. 15/10/20

M.S.V.P.

Maha Medical College & Hospital

		steel staple remover claw layout on the tail end. (Preferred Brand: Kangaroo Original / Equivalent reputed company with good quality product (formal approval must be obtained from the MSVP prior to procurement).	
108	STAPLER BIG SIZE (24/6)	Heavy-duty industrial metal office desk stapler with an anti-skid rubber base and rubberized soft-touch compression grip cap. Accommodates standard 24/6 pins, stapling capacity minimum 30 sheets of paper smoothly without pin bending.	50 Pc (Approx)
109	STAPLER PIN NO. 10	High-tensile rigid galvanized steel wire pins featuring precision chiseled ends to prevent micro-jamming within standard tracks. Format: 1000 staples per box.	5000 Box (Approx)
110	STAPLER PIN 24/6	Premium heavy-gauge galvanized steel core wire pins featuring clean chiseled edge cut points. Format: 1000 staples per box.	5000 Box (Approx)
111	STICKY NOTES FLAGS	Premium ultra-thin removable neon colored translucent PET plastic index flags, utilizing an adjustable adhesive coating track that leaves zero sticky residue on document faces upon removal.	100 Pc (Approx)
112	AUTOCLAVE INDICATOR TAPE	Premium pressure-sensitive chemical indicator tape. Surface chemical bars must change sharply and definitively from light beige to solid dark black/brown when exposed to standard saturated steam autoclave sterilization parameters (121°C for 15 minutes). Size: 20mm Width x 50 Meters Length per roll.	100 Roll (Approx)
113	3-BUCKET MOP TROLLEY	Professional sanitation grade multi-bucket wringer trolley layout. Frame built from heavy-duty structural web ABS impact plastic, supported on 6 multi-directional anti-skid silent castor wheels. Houses three independent 20L capacity color-coded buckets (Red, Blue, Yellow). Includes an aluminum heavy-duty lever-driven down-press wringer press mechanism.	20 Pc (Approx)
114	UTILITY CLEANING GLOVES	Extra-thick heavy-duty natural latex rubber protective gloves, industrial diamond-pattern non-slip grip configurations across palm/fingers, interior soft cotton-flock lining, resistant to hospital bleach and scrubbing agents. Length: 18 inches elbow length safety sleeve. Colors sorted: Yellow/Blue.	100 Pairs(Approx)
115	UNISEX PLASTIC URINE POT	High-density autoclavable polypropylene plastic container (unbreakable drop-tested engineering grade). Seamless molded smooth finish edges, clear permanently stamped volume graduation lines up to 1000ml, fitted with a leak-proof snap-on lid plug. 2-in-1 format for male and female clinical tracking.	200 Pc(Approx)
116	URINE CONTAINER SINGLE USE	Manufactured from highly transparent rigid medical-grade polypropylene material. Must incorporate a precision-threaded leak-proof screw cap featuring an inner double-seal lip ring matrix (flimsy press caps rejected). Includes a frosted matte layout area on the wall for patient annotation. Individually sealed in sterile peel-away medical pouches. Capacity: 60ml.	75000 Pc (Approx)
117	WALL CLOCK (ANALOG)	Professional institutional wall timepiece. Silent sweep quartz mechanism movement (continuous motion, zero audible ticking sounds), clear bold black Arabic numerals tracking over a high-contrast white face, dustproof rugged ABS sealed plastic chassis frame. Size: 35cm diameter round.	25 Pc (Approx)
118	WALL CLOCK (DIGITAL)	Heavy-duty industrial electronic digital wall display module. High-brightness long-life Red LED segment matrices projecting hours, minutes, seconds, current calendar date, and room temperature metrics simultaneously. Legible from a distance of 20 meters.	05 Pc(Approx)

11/05/2026/26

		Chassis parameters: 40cm x 30cm x 4cm rectangle.	
119	WASHING SODA BAG	Technical/Commercial Grade Sodium Carbonate Decahydrate cleaning base compound, uniform dry crystalline powder layout containing zero moisture clumping blocks. Supplied in multi-wall heavy industrial moisture-barrier bags. Unit packing weight: 25 KG per bag.	10 Bag(Approx)
120	WHITE CORRECTION PEN	Squeeze-controlled high-flex nylon barrel cartridge reservoir, containing 15ml of highly opaque, ultra-fast drying white correction fluid compound, dispensing through a precision fine spring-loaded metal needle valve tip.	300 Pc (Approx)
121	WHITE BOARD	Size: 3 x 4 Feet. Non-magnetic dual-sided premium high-gloss scratch-resistant melamine writing surface. Constructed over a rigid internal honeycomb core panel matrix (completely warp-free setup). Framed in anodized architectural aluminum edging channels with integrated sliding wall hanging clips.	10 Pc (Approx)
122	WHITE BOARD MARKER	Alcohol-based low-odor dry-erase marker ink compound, deep vivid projection lines, featuring high erasability metrics that leave no ghosting stains on standard boards upon wiping.	100 Pc (Approx)
123	WIRELESS MICROPHONE SYSTEM	Professional True Dual-Channel UHF Wireless Microphone System (unstable VHF band systems are explicitly rejected). Includes a robust tabletop all-metal receiver housing with dedicated digital frequency status backlights and separate channel volume control modules on the front panel. Set contains: 1 Handheld dynamic microphone transmitter and 1 Clip-on lapel Bodypack transmitter setup, each drawing power from 2 x 1.5V AA cells. Operational parameters: 220-240V/50Hz system input, frequency response range: 80 Hz to 15,000 Hz.	05 Set (Approx)
124	XEROX MACHINE Laserjet	Heavy-duty institutional A4 Monochrome Multifunction Digital Laser Printer (Print, Copy, and Color Flatbed Scan capability). Minimum print engine execution speed: 22 pages per minute (ppm). Features integrated automatic duplex printing, a 50-sheet Automatic Document Feeder (ADF) module, high-speed USB 2.0 / RJ-45 Ethernet network interface arrays, and a minimum input tray capacity of 260 sheets. Heavy-duty operational lifecycle architecture. Dimensions: 15x18 Inch.	05 Pc (Approx)
125	X-RAY FILM CARRYING ENVELOPE	Dimensions: 15 x 18 Inch. Manufactured from premium, heavy-duty industrial 120+ GSM unbleached kraft paper stock. Side and base seams must feature heavy-duty overlap industrial reinforcement gluing to prevent structural splitting under film weight loads.	5000 Pc (Approx)
126	X-RAY FILM CARRYING ENVELOPE	Dimensions: 11 x 13 Inch. Manufactured from premium, heavy-duty industrial 120+ GSM unbleached kraft paper stock with reinforced structural adhesive margins.	5000 Pc (Approx)
127	X-RAY FILM CARRYING ENVELOPE	Dimensions: 09 x 11 Inch. Manufactured from premium, heavy-duty industrial 120+ GSM unbleached kraft paper stock with reinforced structural adhesive margins.	5000 Pc (Approx)
128	INFANT FOOTPRINT STAMP PAD (WATER-BASED INK)	100% non-toxic, acid-free, and hypoallergenic skin-safe water-based ink pad specifically designed for newborn baby footprints. Ink must be easily washable/wipeable from infant skin with plain water or wipes without leaving permanent stains, yet provide crisp, smudge-proof archival records on birth documents. Size: Minimum 9cm x 5cm.	10 Pc
129	REFILL INK FOR INFANT STAMP PAD (WATER-BASED)	100% non-toxic, acid-free, hypoallergenic, skin-safe water-based refill ink specifically formulated for infant footprint stamp pads. Must be easily washable from skin but archival on paper. Bottle volume: Minimum 15ml to 30ml per bottle.	30 Bottle

130	HEAVY-DUTY HOLE PUNCHING MACHINE (2-HOLE)	Industrial heavy-duty cast metal/steel body construction with an extended high-leverage ergonomic handle for effortless punching. Must feature precision-hardened hollow steel punch pins, an integrated adjustable paper margin guide, and a removable waste confetti tray. Punching Capacity: Minimum 100 to 150 sheets of standard 75 GSM paper simultaneously. Standard hole diameter (approx. 5.5mm to 6mm) with an 80mm hole pitch.	10 Pc
-----	---	---	-------

Special Terms & Quality Compliance Directives:-

1. **Mandatory Sample Clause:** All prospective bidders must submit physical floor samples of items (specifically sl nos: 4, 30, 31, 32, 33, 46, 47, 83, 116, and 125) to the Office of the Principal/Superintendent for physical analysis by the Technical Evaluation Committee prior to the financial bid opening date. Samples failing the baseline weight/GSM or build thickness standards will result in immediate technical disqualification.
2. **Anti-Counterfeit OEM Enforcement:** For all original printer inks and ribbon modules (sl nos: 13, 14, 15, and 27), the bidder must provide a valid Manufacturer's Authorization Form (MAF) directly from Epson/Canon India. Third-party compatible fluid bottles or generic refilled ribbons will be flatly rejected.

Section VIII: Eligibility, Terms & Conditions

Tender Selection Committee (TSC) reserves the right to accept or reject any tender or any part of the tender without assigning any reason whatsoever.

Incomplete or bid with insufficient documents required for this NIT will be rejected.

Bidders / Representative must attend the Pre-Bid meeting on specific date & time as per the date & time schedule for any queries /clarification. No queries /clarification will be entertained after opening of Technical Bid. Bidder(s) also may remain present at the time of opening of technical bid.

The successful bidder(s) are bound to complete the entire work as per specification of Section VII. The authority will check or test the quality of the material of each part of entire work to ensure the quality of work as per the specification given herewith. If any deviation found according to the specification at any stage, the authority reserves the right to cancel the total and or part of the work with forfeiting the security money & EMD submitted for this e-tender.

The Tender will be valid till 31.03.2027 which may be extended further up to 1 years subject to satisfactory performance of the selected bidder/vendor.

Bills with challans along with Work Done Certificate (Annexure-II) from the concerned authority must be submitted to the office of the undersigned for payment.

The final amount reflects in the financial bid by the bidder(s) will be treated as inclusive of all taxes, GST, Delivery Cost, All direct & indirect Taxes, All Incidental charges, Installation charges etc. no further or extra charges/amount will be paid beyond the price quoted and approved in the said financial bid.

The applying Agency/Firm/Individuals must be registered with PAN, GST, & P.Tax of current validity. TIA is not bound to accept the lowest rate. Quality of above stated items will also be considered in selection of the bidder for supply of items. In case of equal rate, draw of lots will be done.

After evaluation of technical bids, the financial bid of technically eligible bidders will be opened and finalized. Delivery must be done at the office of the Msvp, Malda within 15 days from the date of issue of Supply Order, failing which the tender will be liable to be cancelled.

Rate quoted by the bidder should not be less than the minimum rate as prescribed in Annexure-I of BOQ, else bid will automatically be disqualified, also blank rate or ' 0 ' (zero) quoted rate not to be considered.

Hospi/26/26

Section IX: BIDDERS CHECKLIST & INDEXING CRITERIA

Bidders are requested to organize, index, and upload their Technical Bid documents according to the checklist below. Please provide a clearly typed Index Page at the beginning of your technical upload, mapping each required document to its specific page number in the compiled PDF to facilitate smooth institutional technical evaluation. Note: (Bidders to preferably submit this completed checklist with the mentioned page No.)

Index No.	Required Document / Statutory Component	Folder / Cover Name	Page No.	Compliance (Yes/No)
1	Scanned copy of EMD (Rs. 30,000/-) or Exemption Certificate	Statutory Cover		
2	Tender Application Form (As per Section VI)	Statutory Cover		
3	PAN Card	Non-Statutory / Certificates		
4	IT Return	Non-Statutory / Certificates		
5	Professional Tax Registration Certificate & Challan (FY 2026-27)	Non-Statutory / Certificates		
6	GST Registration Certificate	Non-Statutory / Certificates		
7	Certificate of Incorporation/ Partnership Deed (*WA)	Non-Statutory / Company Details		
8	Updated Trade License/Enlistment (2026-2027)	Non-Statutory / Company Details		
9	Power of Attorney (*WA)	Non-Statutory / Company Details		
10	Successful supply certificates & Work Orders from any Govt. Organization	Non-Statutory / Credential		
11	Audited Balance Sheet, Trading and Profit & Loss A/c (Last 3 FY)	Non-Statutory / Declaration		
12	Non-Conviction Certificate (Section V) duly notarized	Non-Statutory / Declaration		
13	Application in the letter head of the firm/company	Non-Statutory / Declaration		

MEDICAL SUPERINTENDENT CUM VICE PRINCIPAL
MALDA MEDICAL COLLEGE & HOSPITAL, MALDA

Memo No- MSVP/e-NIT-04/MLD/MCH-2026-2027

Dated:-05/06/2026

Copy Forwarded to :-

- The D.H.S, West Bengal, Swasthya Bhvan, Saltlake City, Kol-91.
- The District Magistrate, Malda.
- The Principal, MMC, Malda.
- The ADM(G), Malda.
- The Additional Medical Superintendent, MMC&H, Malda.
- The Accounts Officer, MMC&H, Malda.
- The Deputy Superintendent (N/M), MMC&H, Malda.
- The All Assistant Superintendent (NM), MMC&H, Malda.
- The DIO NIC, with request to upload the same in the district website.
- The In-Charge, IT Cell, Department of Health & Family Welfare, Swasthya Bhawan, GN- 29, Sector-V, Salt lake City, Kolkata-700091 With request to upload the same in the department's website.
- Guard file.

MEDICAL SUPERINTENDENT CUM VICE PRINCIPAL
MALDA MEDICAL COLLEGE & HOSPITAL, MALDA

Handwritten signature: H. S. V. P. / 26

M.S.V.P.
Malda Medical College & Hospital
Malda